

1 May 2019

CHIEF'S REPORT

MONROE TWP. VOLUNTEER FIRE CO. # 1

Residential Structure	
Commercial Structure	5
Residential Fire Alarm	
Commercial Fire Alarm	
Brush Fire	1
Vehicle Fire	
Vehicle Extrication	
CO / Natural Gas	3
Electrical Emergency	
Hax - Mat	
Technical Rescue	
Special Assignment	
First Aid Assist	2
Tri - Punch	25
Mutual Aid	1
Accidental Alarm	
Total Calls	37

Drills	2
New Members	1
Members Resigned	

Firefighters Attending School

- 1) 1 in ff1 1 in ff 2
- 2) _____
- 3) _____
- 4) _____
- 5) _____

Firefighters Injured

- 1) _____
- 2) _____
- 3) _____
- 4) _____
- 5) _____

Total Fire Loss (Aprox.) _____

Equipment Loss Or Damaged _____

Apparatus Problems pm on 51-2 and 51-9

Remarks & Comments _____

Health Coordinator phycicals are being done

Attachments & Equipment Proposals

- | | |
|-------------------------|----------|
| 1) misc equipment _____ | 5) _____ |
| 2) _____ | 6) _____ |
| 3) _____ | 7) _____ |
| 4) _____ | 8) _____ |



 CHIEF, MONROE TWP. VOLUNTEER FIRE CO.# 1

Incident Run Log

Monroe Township Fire District #1

Date Range: From 04/01/2014 to 04/30/2014

Company: All Companies

Sorted by: Not selected

Date	FDID	Incident#	Alarm	### Address	Suite	Type
04/01/2014	12113	2014-000143	00:32	307 Spotswood English Town Road	5120	Medical assist, assist EMS crew
04/01/2014	12113	2014-000144	08:25	19 Verdi Road	5120	Gas leak (natural gas or LPG)
04/01/2014	12113	2014-000145	12:20	297 Stradford Lane	2340	Dispatched & canceled en route
04/01/2014	12113	2014-000146	19:34	22 Imperial Court	5120	Smoke or odor removal
04/04/2014	12113	2014-000147	15:06	319 Forsgate Drive	2343	Dispatched & canceled en route
04/04/2014	12113	2014-000148	18:34	37 Stonewyck	2350	Dispatched & canceled en route
04/06/2014	12113	2014-000149	03:21	12 Costco Drive	2320	Cover assignment, standby, moveup
04/06/2014	12113	2014-000150	03:22	10 Costco Drive	2320	Cover assignment, standby, moveup
04/06/2014	12113	2014-000151	13:40	10 Venezia Drive	5120	Brush or brush-and-grass mixture fire
04/07/2014	12113	2014-000152	00:17	315-B Jutland Drive	5710	Dispatched & canceled en route
04/07/2014	12113	2014-000153	00:38	4 Harwood Road	2350	Dispatched & canceled en route
04/07/2014	12113	2014-000154	12:33	93 Anderson Ave	5120	False alarm or false call, other
04/08/2014	12113	2014-000155	15:31	8 Millwood Court	5120	Carbon monoxide incident
04/08/2014	12113	2014-000156	18:30	475 Spotswood English Town road	5120	Rescue, EMS incident, other
04/08/2014	12113	2014-000157	20:30	319 Spotswood Gravel Hill Road	2326	Dispatched & canceled en route
04/08/2014	12113	2014-000158	22:48	66 MacFarlane Circle	2320	Cover assignment, standby, moveup
04/10/2014	12113	2014-000159	08:03	Murfield Drive	2340	Cover assignment, standby, moveup
04/10/2014	12113	2014-000160	14:42	24 Abeel Road	2340	Cover assignment, standby, moveup
04/13/2014	12113	2014-000161	14:55	23 Hillsborough Drive	5710	Dispatched & canceled en route
04/14/2014	12113	2014-000162	12:44	300 Overlook Drive	5710	Dispatched & canceled en route
04/14/2014	12113	2014-000163	16:10	2 Conner Lane	5720	Dispatched & canceled en route
04/14/2014	12113	2014-000164	19:15	12 Costco Drive	2310	Cover assignment, standby, moveup
04/16/2014	12113	2014-000165	23:05	136 Monmouth Road	5120	False alarm or false call, other
04/19/2014	12113	2014-000166	18:13	4 John Tyler Court # C	5710	Dispatched & canceled en route
04/19/2014	12113	2014-000167	19:24	42 Stonewyck Place	2350	Dispatched & canceled en route
04/22/2014	12113	2014-000168	14:22	12 Costco Drive	2320	Dispatched & canceled en route
04/22/2014	12113	2014-000169	19:00	24 Harrison ave		Special type of incident, other
04/24/2014	12113	2014-000170	20:50	88 Brunswick Ave	SPOTSWOOD	Special type of incident, other
04/25/2014	12113	2014-000171	11:02	792 Pompton Road # D	5710	Dispatched & canceled en route
04/25/2014	12113	2014-000172	14:47	12 Costco Drive	2310	Dispatched & canceled en route
04/25/2014	12113	2014-000173	16:25	4 Edward Ave	5120	Steam, other gas mistaken for smoke, other
04/26/2014	12113	2014-000174	11:19	18 Avenue J	5120	False alarm or false call, other
04/27/2014	12113	2014-000175	13:52	86 Masters Drive	2320	Dispatched & canceled en route
04/27/2014	12113	2014-000176	18:28	31 Canterbury Drive # B	5710	Dispatched & canceled en route
04/29/2014	12113	2014-000177	11:50	200 Schoolhouse Road	2351	Dispatched & canceled en route
04/29/2014	12113	2014-000178	17:24	4 James Polk Court # D	5710	Dispatched & canceled en route
04/30/2014	12113	2014-000179	21:34	7 Trotter Court	5720	Dispatched & canceled en route

Total Incidents: 37



FF1 Professional Safety Services
 34 Wilson Drive Sparta, NJ 07871
 Phone (973) 940-3061 Fax (973) 860-1388
 www. FF1 .com

ESTIMATE

Estimate #	137126
Date	3/14/2014

Bill to Address:

Monroe Twp Fire Dist #1
 24 Harrison Ave
 Monroe Twp, NJ 08831-8607

Ship to Address:

Monroe Twp Fire Dist #1
 24 Harrison Ave
 Monroe Twp, NJ 08831-8607

Requested by	Lonnie Pipero
--------------	---------------

ESTIMATE VALID FOR 60 DAYS

Description	Qty	Cost	Total
10127944- SP: MSA H-30 4500psi 30 minute Carbon Cylinder	10	849.00	8,490.00
10127946-SP: MSA H-60 4500psi 60 minute Carbon Cylinder	4	1,349.00	5,396.00
Total			\$13,886.00

Account Manager Rick Pumphrey / Rick@FF1.com

Signature: _____

Municipal P.O. [] Department to pay []

Printed Name: _____


P.O. # _____

Home | Back

1 888-600-9116



Shopping Cart Shopping Cart



NOTE: To see shipping amount, enter [Zip Code](#) & [Country](#) below; then click "Recalculate". Orders shipping into CA, WA, and TX are subject to sales tax. International orders are payable by EFT/Wire and PayPal only. Customers responsible for all taxes and fees.

Please call 888-600-9116 with any questions. Orders received after 2:00 PM PST will be processed the next business day. All orders will be processed within 24 hours of receipt (Monday through Thursday).

- Shipping-Price Variations
- International Orders
- Oversized Items
- State & Local Sales Tax

NOTE: [Registration](#) is optional. You may proceed without registering. **NOTE:** [Registration](#) is optional.

- New Customer? [Click here to Register](#)
- Returning Customer? [Click here to Sign In](#)

Show me my shopping cart every time I order something.

	Quantity	Name	SKU	Each	Total
Remove	<input style="width: 40px;" type="text" value="1"/>	Sterling Accessory Cord 9mm	AN90080100	\$257.45	\$257.45

NOTE: Each quantity you designate equals the length of cord you select in the pre-cut length shown.

(Example: Qty 1 equals 50 Meters, 100 Meters or 200 Meters, etc.)

Red 100 Meters (328 Feet) Reg. \$257.40 v

Remove	<input style="width: 40px;" type="text" value="1"/>	Sterling Accessory Cord 9mm	AN90060100	\$257.45	\$257.45
------------------------	---	---	------------	----------	----------

NOTE: Each quantity you designate equals the length of cord you select in the pre-cut length shown.

(Example: Qty 1 equals 50 Meters, 100 Meters or 200 Meters, etc.)


Blue 100 Meters (328 Feet) Reg. \$257.40 v

Remove	<input style="width: 40px;" type="text" value="2"/>	Yates Heavy Duty Anchor Sling 4'	YA840	\$52.00	\$104.00
Remove	<input style="width: 40px;" type="text" value="2"/>	Yates Heavy Duty Anchor Sling 6'	YA841	\$55.50	\$111.00
Remove	<input style="width: 40px;" type="text" value="4"/>	Rock Exotica Machined Rescue Single Pulley	P22	\$52.50	\$210.00
Remove	<input style="width: 40px;" type="text" value="4"/>	Rock Exotica Machined Rescue Double Pulley	P22D	\$97.80	\$391.20
Remove	<input style="width: 40px;" type="text" value="1"/>		300221	\$38.00	\$38.00

CMC ProSeries Aluminum Locking D Carabiner Screw Gate Brite

Petzl Kootenay Pulley P67 \$190.00 \$380.00

Need to purchase multiple sizes or colors of the same product? Follow These 4 Easy Steps
1. Select quantity, color & size variation of first choice. 2. Click "Recalculate" to save first choice. 3. Click product name in Shopping Cart to go back. 4. Click "Add to cart" button. Repeat process as needed.

U.S. Postal Service logos used by permission. All rights reserved. U.S. Postal Service options not available for the lower 48 United States.
 **PRIORITY MAIL, EXPRESS MAIL & GLOBAL EXPRESS GUARANTEED** are options only for International Orders, Hawaii, Alaska & APO addresses.
NOTE: To ship U.S. Postal Service to Hawaii or Alaska, specify one of the above three available options in the "Ordering Instructions" box below.

Ship to: Zip Enter Zip Code & Country to see shipping charge - Sub Total \$1,749.10
Code
Ship to: United States \$0.00
Country Total \$1,749.10

If you have a gift certificate, enter the number and PIN then press Recalculate
Number: PIN:


Enter Coupon Code (Type or Paste):

Ordering Instructions

NOTE: Purchase Order payments will be verified by accounting before order is processed.

Select payment type:

Any changes above should be verified by pressing 'Recalculate' before clicking on 'Checkout'.

Check out with  or
The faster, easier way to pay



CHIEF'S REPORT 6/18/14

MONROE TWP. VOLUNTEER FIRE CO. # 1

Residential Structure	
Commercial Structure	
Residential Fire Alarm	8
Commercial Fire Alarm	
Brush Fire	2
Vehicle Fire	
Vehicle Extrication	1
CO / Natural Gas	2
Electrical Emergency	
Haz - Mat	
Technical Rescue water	2
Special Assignment	
First Aid Assist	
Tri - Punch	17
Mutual Aid	3
Accidental Alarm	
Total Calls	35

Drills	3
New Members	2
Members Resigned	0

Firefighters Attending School

- 1) Marty Sowinski
- 2) _____
- 3) _____
- 4) _____
- 5) _____

Firefighters Injured

- 1) _____
- 2) _____
- 3) _____
- 4) _____
- 5) _____

Total Fire Loss (Aprox.) NONE

Equipment Loss Or Damaged _____


Apparatus Problems _____

Remarks & Comments All Trucks PM'ed , Memorial Day

Health Coordinator See Attached Report

Attachments & Equipment Proposals

- | | |
|----------|----------|
| 1) _____ | 5) _____ |
| 2) _____ | 6) _____ |
| 3) _____ | 7) _____ |
| 4) _____ | 8) _____ |


 CHIEF, MONROE TWP. VOLUNTEER FIRE CO.# 1

Incident Run Log

Monroe Township Fire District #1

Date Range: From 05/01/2014 to 05/31/2014

Company: All Companies

Sorted by: Not selected

Date	FDID	Incident#	Alarm	###	Address	Suite	Type
05/01/2014	12113	2014-000180	01:49		English Town Road 5140		Swift water rescue
<p>Station 51 23 was dispatched to the area of English town road by the bridge for a report of car stuck in the water with a person inside of the car. D/C 51 Rescue 51 Special Service 51 with boat and 23 responded. D/C arrived on location and confirmed there was a car stuck over the bridge in water with a male inside. The water was approximately 4 feet deep with swift water Conditions. The crews used the boat to get to the victim and the victim was rescued from the car with out incident. The victim was turned over to Monroe EMS. The scene was TOT Monroe PD. All fire units cleared command was terminated.</p> <p>User: 2NDLEIUTENANT 05/01/2014 19:18:12</p>							
05/01/2014	12113	2014-000181	03:04		362 Rue Road 5130		Swift water rescue
<p>51 23 dispatched to the area of 362 Rue Road. D/C 51 Rescue 51 Special Service 51 with boat and 23 responded. D/C established command. Crews found a car stuck on a bridge with a victim inside the car. The water approx 1 feet deep. Crews safely got the women out of the car and walked back to higher ground. The victim was tot Monroe EMS. Scene was TOT Monroe PD. All fire units cleared command was terminated.</p> <p>User: 2NDLEIUTENANT 05/01/2014 19:36:53</p>							
05/01/2014	12113	2014-000182	15:46		161 Old Forge Road 5110		False alarm or false call, other
<p>51 was dispatched to 161 Old Forge Road for report of fire alarm. Engine 513 Chief 51/ D/C 51 responded. Chief 51 arrived established command. Crews found the house was secured and nobody was home but there was a sounding alarm. Crews did a 360 there was no hazards found. Command spoke to the homeowner via telephone and was advised to put the alarm on test. All fire units cleared command was terminated.</p> <p>User: 2NDLEIUTENANT 05/01/2014 19:50:13</p>							
05/01/2014	12113	2014-000183	20:48		259 Matchaponix Avenue 5120		Flood assessment
<p>51 dispatched to 259 Matchaponix Ave for report of flooded basement. Chief 51, D/C 51, Engine 513 responded. Crews arrived and found about 6 inches of water was in the basement. Crews checked the sump pumps and they were not working. There was no hazards present. Homeowner was advised to get new sum pump. All fire units cleared command was terminated.</p> <p>User: 2NDLEIUTENANT 05/02/2014 18:56:48</p>							
05/03/2014	12113	2014-000184	16:49		28 Violet Court 5740		Dispatched & canceled en route
<p>51 was dispatched to 28 Violet court for report of Fire Alarm. 51 was dispatched by accident. Command cleared 51.</p> <p>User: 2NDLEIUTENANT 05/03/2014 20:05:52</p>							
05/04/2014	12113	2014-000185	08:09		458 Spotswood English Town Road 5120		Brush or brush-and-grass mixture fire
<p>51 dispatched to the above said address for report of mulch fire. Engine 513 D/C 51 and Brush responded. D/C established command and there was a small mulch fire. Crews Pulled apart the pile of mulch and wet down the hot spots. As soon as all the fire was out all crew cleared. Command was terminated.</p> <p>User: 2NDLEIUTENANT 05/04/2014 14:43:55</p>							
05/05/2014	12113	2014-000186	14:52		7 Costco Drive 2310		False alarm or false call, other
<p>51 dispatched to 7 Costco drive for report of fire alarm. Engine 513 responded. Engine 513 was cleared by command. All 51 units cleared.</p> <p>User: 2NDLEIUTENANT 05/05/2014 22:17:58</p>							
05/05/2014	12113	2014-000187	15:26		5 Sussex Way 2310		Dispatched & canceled en route
<p>51 dispatched to 5 sussex way engine 513 responded and was canceled en route.</p> <p>User: 2NDLEIUTENANT 05/05/2014 22:22:01</p>							
05/05/2014	12113	2014-000188	17:55		5 George Allen Court 2310		Cover assignment, standby, moveup
<p>51 was dispatched to 5 George Allen Court for report of alarm. Engine 513 was held in quarters by command and released.</p> <p>User: 2NDLEIUTENANT 05/05/2014 22:30:34</p>							
05/05/2014	12113	2014-000189	21:19		1457 Perrineville Road 5730		Cover assignment, standby, moveup
<p>51 dispatched to 1457 Perrineville Road for report of Structure fire. Engine 513 Rescue 514 responded. 51 units arrived and provided man power at the scene. All 51 units were cleared and released.</p> <p>User: 2NDLEIUTENANT 05/06/2014 18:56:30</p>							
05/06/2014	12113	2014-000191	19:00		24 Harrison Ave 5110		Special type of incident, other
<p>Monthly Drill Pulling Hose/ Ladder Opps</p>							
05/06/2014	12113	2014-000190	19:02		3 Redwood Court 5110		Carbon monoxide detector activation, no CO
<p>51 dispatched to 3 Redwood Court for report of co dector going off. D/C 51 Engine 513 responded. Crews found CO chirping in the basement. No hazards found in the home. Homeowner advised to get new dector. All fire units cleared command terminated.</p> <p>User: 2NDLEIUTENANT 05/06/2014 21:46:41</p>							
05/07/2014	12113	2014-000192	06:53		458 Spotswood English Town Road 5120		Brush or brush-and-grass mixture fire
<p>51 dispatched to 458 Spotswood English Town Road for report of Mulch Fire. Engine 513 responded along with Chief 51. Crews found mulch was smoking and the employees of Bakers were using a hose to wet down the area. Chief 51 requested Fire official 51 to respond to scene. Scene was TOT Fire Official 51.</p> <p>User: 2NDLEIUTENANT 05/07/2014 16:01:37</p>							
05/07/2014	12113	2014-000193	21:45		11 Chandler Court 2350		Dispatched & canceled en route
<p>51 dispatched to 11 chandler court for report of smoke condition in the home. Engine 513 responded and was canceled en route by command. See 23 report for further information.</p> <p>User: 2NDLEIUTENANT 05/07/2014 22:17:24</p>							
05/09/2014	12113	2014-000194	10:35		292 Applegarth Road 5711		Dispatched & canceled en route
<p>51 dispatched to 292 Applegarth road for report of fire alarm. Engine 513 responded and was canceled en route by command. All 51 units clear. See 57 report for further information.</p>							

Date	FDID	Incident#	Alarm	###	Address	Suite	Type
User: 2NDLEIUTENANT 05/09/2014 17:39:47							
05/09/2014	12113	2014-000195	20:52	15	Rutland Lane # D 2350		Dispatched & canceled en route
51 dispatched to above address for smoke condition. Engine 513 responded. Command confirmed fire to appliance. 51 was canceled en route. See 23 reports for further information.							
User: 2NDLEIUTENANT 05/09/2014 21:26:14							
05/10/2014	12113	2014-000196	10:38	7	Fitzgerald Ave 5710		Dispatched & canceled en route
51 dispatched to the above address for report of fire alarm. Engine 513 responded and was canceled en route. All 51 units cleared.							
User: 2NDLEIUTENANT 05/10/2014 11:22:54							
05/10/2014	12113	2014-000197	17:43	8	Elizabeth Ave 5120		Smoke or odor removal
51 dispatched to the above address for a report of odor coming from the house. Engine 513 responded and establish command. Crews found a rotten egg smell coming from the garage. It was found the odor was coming from the snow blower the homeowner put fuel stabilizer in the gas tank. The rest of house was checked and there was no hazard found. Homeowner was advised to remove the snow blower out of garage and to keep the garage open so the odor can dissipate. All fire units cleared command was terminated.							
User: 2NDLEIUTENANT 05/10/2014 21:26:51							
05/10/2014	12113	2014-000198	21:53	35	Troon Court 2320		Dispatched & canceled en route
51 dispatched to the above address for report of churping fire alarm. Engine 513 responded and was canceled en route by command. All 51 units cleared.							
05/11/2014	12113	2014-000199	09:26	1	Brandy Place 5120		Dispatched & canceled en route
51 23 dispatched to above address for report of fire alarm D/C 51 Engine 513 responded. D/C established command and cleared all units. Alarm was reset by homeowner prior to units being called.							
05/15/2014	12113	2014-000200	03:18	4	Mitchell Drive 2320		Dispatched & canceled en route
51 dispatched to above address for fire alarm. Engine 513 responded and was canceled en route by command. 51 units cleared. See 23 reports for further information.							
User: 2NDLEIUTENANT 05/15/2014 17:40:18							
05/15/2014	12113	2014-000201	17:06	189	Dey Road 5730		Dispatched & canceled en route
51 dispatched for report of structure fire. Engine 513 D/C51 responded and was cancelled en route by command. All 51 units cleared by command. See 57 reports for further information							
05/16/2014	12113	2014-000202	06:25	159	Pelham Lane 2340		Dispatched & canceled en route
51 dispatched to the above address for alarm. Engine 513 responded an was canceled en route by command. All 51 units cleared. See 23 reports for further information.							
05/19/2014	12113	2014-000203	14:31		Appleby Fire Station		Cover assignment, standby, moveup
51 dispatched into Old Bridge for Ladder request. Ladder 51 responded to fire house then diverted to the scene to provide ladder and manpower. 51 was clear by command.							
User: 2NDLEIUTENANT 05/20/2014 19:24:07							
05/21/2014	12113	2014-000204	08:45	20	London Ave 2350		Dispatched & canceled en route
51 dispatched to 20 London ave for smoke condition. Engine 513 responded and was canceled en route. 51 clear.							
User: 2NDLEIUTENANT 05/21/2014 18:01:05							
05/21/2014	12113	2014-000205	14:47	153	Concordia Circle # D 5710		Dispatched & canceled en route
51 Dispatched to above address for report mulch fire near the hose. 513 responded and was canceled en route by command. 51 units cleared.							
User: 2NDLEIUTENANT 05/21/2014 18:07:51							
05/22/2014	12113	2014-000206	19:53		Macrthur Ave		Cover assignment, standby, moveup
51 dispatched to MaCarthur ave fire station sayrveille for cover stand by. Ladder 51 responded. All 51 units cleared by command.							
User: 2NDLEIUTENANT 05/22/2014 21:04:02							
05/23/2014	12113	2014-000207	12:44		Spotswood english town road 5120		Motor vehicle accident with injuries
51 dispatched to the are of spotswood english town road and bucklew ave for the report of MVA with intrapement car on fire. Chief 51 D/C51 Squad 51 responded. D/C51 requested 23 to respond. Crew arrived and found all occupants out of the car 2 car MVA 1 car was over turned. Ems was requested. Crews put speedy dry on the ground to soak up the oil and antifreezes on the ground. 23 was released by command. All 51 units were cleared and scene was TOT ems and pd.Car 1 Mercedes ML350, Car 2 Chrysler PT Cruiser							
User: 2NDLEIUTENANT 05/23/2014 20:29:00							
05/24/2014	12113	2014-000208	20:30	12	Costco Drive 2310		Cover assignment, standby, moveup
51 dispatched to 12 costo drive for report of fire alarm. Engine 513 responded and was instructed by command to search the building. No Hazard all 51 units cleared by command,. See 23 report for further information.							
User: 2NDLEIUTENANT 05/26/2014 12:08:08							
05/24/2014	12113	2014-000209	20:50	12	Costo Drive 2310		Cover assignment, standby, moveup
51 dispatched to 12 Costo Drive for report of fire alarm. Engine 513 responded and was instructed by command to search the building. No hazards present. All 51 units cleared by command. See 23 report for further information.							
User: 2NDLEIUTENANT 05/26/2014 12:12:02							
05/28/2014	12113	2014-000210	18:58	12	Kings Court 5120		Alarm system activation, no fire - unintentional
51 dispatched to the above said adress for report of fire alarm. D/C 51 Engine 51 ladder 51 responded. D/C established command . Home owner reset alarm prior our arrival. The nature of the call was burnt food. Crews did natural Ventualation. There was no fire. All fire units cleared command was terminated.							
User: 2NDLEIUTENANT 05/28/2014 21:47:31							
05/29/2014	12113	2014-000211	07:34	1	Brandy Place 5120		False alarm or false call, other
51 dispatched to the above address for report of fire alarm. Squad 51 responded. Alarm was due to steam from shower. Homeowner already reset the alarm. All fire units clear.							
User: 2NDLEIUTENANT 05/29/2014 17:11:33							

Date	FDID	Incident#	Alarm	###	Address	Suite	Type
05/29/2014	12113	2014-000212	08:15		174 Portland Lane 2340		Dispatched & canceled en route
51 dispatched to above address for alarm. Engine 513 responded and was canceled en route by command. 51 units cleared. User: 2NDLEIUTENANT 05/29/2014 17:15:19							
05/29/2014	12113	2014-000213	09:14		17 Ave J 5120		False alarm or false call, other
51 dispatched to above address for report of fire alarm. Squad 51 responded established command. No hazard found in home alarm reset all fire units clear. User: 2NDLEIUTENANT 05/29/2014 17:18:49							
05/30/2014	12113	2014-000214	20:26		5 Michelle Street 5120		Steam, other gas mistaken for smoke, other
51 dispatched to the above address for report of gas smell. Chief 51 Engine 513 responded. Crews arrived there was no hazards present in the home. All fire units clear. User: 2NDLEIUTENANT 05/30/2014 21:03:47							

Total Incidents: 35

Hello All,

1. The Chief & Deputy Chief and I have scheduled all mandatory in-services for September to allow for regular fire training.

2. I submitted for reimbursement for my certification as a Health Certified Safety Officer, Ray Perry Lonnie, and Costa selected, this is only used for Monroe Fire Dist. #1, and is registered that way.

3. We have stopped using Princeton Occupational health, a new provider will be named by the end of the month. This was discussed with Chief & Deputy Chief for multiple reason, two new providers that I have looked at will offer the same care with a reduction in \$50.00 per person. I will keep you posted.

Bill Gardener
Monroe Township
Clinical Services
Health & Human Resources
Administration
1 Municipal Plaza
Monroe Twp., N.J. 08831
Office- 732-521-4400 ext:143
Fax- 732-521-4346 (Confidential)